# TRANSIT-WRAP<sup>TM</sup>

TW35 & TW50



# TRANSIT-WRAP™ | TW35 & TW50

#### >> PRODUCT DESCRIPTION

**TRANSIT-WRAP™** is a specialty three layer co-extruded product consisting of two layers of dense polyethylene for **enhanced puncture resistance**, and a linear low density polyethylene core for **excellent tear resistance**, combined into a very unique product.

**TRANSIT-WRAP™** is available in thicknesses of 3.25 mil (TW35) and 4.5 mil (TW50).

## >> PRODUCT APPLICATION

**TRANSIT-WRAP™** is used in applications that require protection from the elements during storage and transit. It also can be used in vertical wall vapor barriers where the application demands a higher quality product.

## >> SIZING & PACKAGING

Typical sizes range from 12' wide up to 20' wide and in standard roll lengths of 300 feet (other lengths available on request). Width sizes up to 40' can be produced with minimum order requirements. The maximum printing size depends upon roll width and face dimension of the gusseted fold; large printing capabilities are available on width sizes up to 20' wide. Two color print capability.

ROLL WIDTH	MAXIMUM PLATE DIMENSION
14' WIDE	68" WIDE x 40" HIGH
15' WIDE	68" WIDE x 40" HIGH
16' WIDE	68" WIDE x 40" HIGH
18' WIDE	68" WIDE x 40" HIGH



# TRANSIT-WRAP™ | TW35 & TW50

# **>>** APPLICATIONS

- MANUFACTURED HOUSING CLOSE-UP
- CARPET COVER

• FURNITURE WRAP

• VAPOR RETARDER

PRODUCT	PART NUMBER
TRANSIT-WRAP™ TW35	TW35
TRANSIT-WRAP™ TW50	TW50

# TRANSIT-WRAP™ | TW35 & TW50



#### > SUPERIOR STRENGTH & DURABILITY

- Three part product construction is designed to greatly enhance the puncture and tear strength of TRANSIT-WRAP™ film and mitigate risk of exposure to the elements.
  - Two parts HDPE (high density polyethylene) One part LLPE (linear low density polyethylene)
- TRANSIT-WRAP™ is built to withstand high winds, adverse weather conditions and flying debris experienced during installation, transportation and storage.
- HDPE is designed to stay taut in high wind traffic areas this makes TRANSIT-WRAP™ less susceptible to tearing and keeps your logo from getting stretched and distorted.
- MANUFACTURED WITH VIRGIN RESINS product is 100% recyclable.
- 12 MONTH ULTRA VIOLET INHIBITOR prevents degradation over time from sun exposure vs. competitor's 9 month inhibitor.




## > LARGE FORMAT PRINT CAPABILITY

- LARGER THAN THE COMPETITION TRANSIT-WRAP™ can be printed in widths up to 68".
- MATERIAL STAYS TAUT TO ENSURE READABILITY
- **GREATER READABILITY FROM A DISTANCE** large format print capabilities create a traveling billboard to help you promote your brand.





#### 30" WIDE MAX PRINT CAPABILITY



Not an actual photo. Logo shown printed to scale on a 72' unit.

# >> TOP QUALITY SUPPLIER

- Our film manufacturer has been extruding film for over 60 years and has established itself as the premier manufacturer of high valuable plastic sheeting in the United States.
- All production runs are tested against the physical specifications published. If a product doesn't meet specification, it doesn't ship out.
- Transit-Wrap<sup>™</sup> is printed in-line during extrusion, which allows for superior print quality.